ELSEVIER

International Journal of Mass Spectrometry 253 (2006) 305

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 253

Abzalimov, R.R., 207
Adams, C.M., 263
Armentrout, P.B., 288
Au, C.T., 30
Augusti, R., 281

Bacher, A., 122
Badman, E.R., 147
Baker, E.S., 225
Balasubramanian, R., 98
Banerjee, N.R., 87
Barron, L.D., 193
Bernstein, S.L., 225
Bowers, M.T., 225
Brereton, S.M., 79
Breton, D., 1
Breuker, K., 249
Buret, D., 1
Bush, M.F., 256

Cao, L.-F., 141
Capitelli, M., 22
Cha, H., 136
Chacko, T., 87
Chen, H., 281
Chen, M.D., 30
Chrisman, P.A., 147
Chu, S.-Y., 104
Chu, Z., 130
Clair, P., 1
Cooks, R.G., 281
Cristescu, S.M., 58

da Silveira, E.F., 112
De Pauw, E., 225
Dewan, A., 48

Eberlin, L.S., 281
Ellis, A.M., 79

Farenzena, L.S., 112
Feil, S., 122
Frimpong, A.K., 207

Gabelica, V., 156, 225
Gluch, K., 122
Gräslund, A., 263

Harren, F.J.M., 58
Heaman, L.M., 87
Hecht, L., 193
Heck, A.J.R., 217
Heeren, R.M.A., 181, 217
Homem, M.G.P., 112

Iavarone, A.T., 172
Iza, P., 112

Jiang, Z.-Y., 104
Johannessen, C., 193
Joseph, M., 98
Jung, E., 136
Jung, K.-W., 65

Kaltashov, I.A., 207
Kjeldsen, F., 263
Klasinc, L., 201
Kleinnijenhuis, A.J., 217
Koo, Y.-M., 65
Kosarim, A.V., 22

Lafosse, M., 1
LaFranchi, B.W., 38
Laricchiuta, A., 22
Lee, J.K., 238
Lee, K.-H., 104
Li, S.-T., 104
Li, X.B., 30
Liao, X.-C., 141
Luxembourg, S.L., 181

Macleod, N.A., 193
Manoravi, P., 98
Mansuri, M.M., 48
Martinez, R., 112
Matt-Leubner, S., 122
McLuckey, S.A., 147
Meinen, J., 172
Migeon, H.-N., 71
Mihalca, R., 217
Müllen, K., 13
Moeskops, B.W.M., 58
Moision, R.M., 288
Märk, T.D., 122

Naves de Brito, A., 112
Nefliu, M., 281
Niu, M.-Y., 141

Oh, K.-S., 65

Pal, R., 48
Pan, S., 238
Papadopoulos, E., 263
Parks, J.H., 172
Patriksson, A., 263
Pauw, E.D., 156
Petrucci, G.A., 38
Philipp, P., 71
Pirotte, S., 156
Pitteri, S.J., 147
Ponciano, C.R., 112

Qiao, G., 130

Räder, H.J., 13
Rosu, F., 156
Rožman, M., 201

Saiyed, H.N., 48
Saykally, R.J., 256
Scheepers, P.T.J., 58
Scheier, P., 122
Scherrer, H., 71
Schulze, S., 172
Simonetti, A., 87
Simons, J., 274
Simons, J.P., 193
Sinha, S.N., 48
Sivakumar, N., 98
Smirnov, B.M., 22
Sobczyk, M., 274
Song, K., 136
Srzić, D., 201
Steeghs, M.M.L., 58
Sun, X., 238

Trimpin, S., 13

van der Spoel, D., 263
van Swam, K., 58

Wien, K., 112
Williams, E.R., 256
Wirtz, T., 71

Yang, J., 30
Yang, S., 79
Yang, Y., 130
Ye, S.J., 288
Ye, Y., 141

Zahardis, J., 38
Zhang, Q.E., 30
Zhao, Y.-F., 141
Zubarev, R.A., 263

doi:10.1016/S1387-3806(06)00299-5

ELSEVIER

International Journal of Mass Spectrometry 253 (2006) 306–309

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 253

Absolute cross sections
Absolute partial cross sections and kinetic energy analysis for the electron impact ionization of propene, 122
Aerosol mass spectrometry
The heterogeneous reaction of particle-phase methyl esters and ozone elucidated by photoelectron resonance capture ionization: Direct products of ozonolysis and secondary reactions leading to the formation of ketones, 38
Aldehydes
On-line monitoring of UV-induced lipid peroxidation products from human skin in vivo using proton-transfer reaction mass spectrometry, 58
Alkali metal cluster
Structures and charge distributions of cationic and neutral Li_nX_m (X = Na and K), 104
Ammonia ion cluster
Ion cluster desorption from frozen NH_3 induced by impact of fast multi-charged ions, 112
Analyte incorporation
Investigations of theoretical principles for MALDI-MS derived from solvent-free sample preparation. Part I. Preorganization, 13
Asymmetric dissociation
Gas-phase processes and measurements of macromolecular properties in solution: On the possibility of false positive and false negative signals of protein unfolding, 207
Atmospheric pressure reaction
Atmospheric pressure Eberlin transacetalization reactions in the heterogeneous liquid/gas phase, 281
Avizafone
Mass spectrometry study of increased breakdown of an anticonvulsivant drug substance: Avizafone, 1

BeC_n^-
Parity alternation in the linear ground-state beryllium-doped carbon clusters BeC_n^- (n = 1–8), 30
Beryllium-doped anionic carbon clusters
Parity alternation in the linear ground-state beryllium-doped carbon clusters BeC_n^- (n = 1–8), 30
Binary cluster anions
Parity alternation in the linear ground-state beryllium-doped carbon clusters BeC_n^- (n = 1–8), 30
Bond dissociation energies
Sequential bond energies of water to sodium proline cation, 288

Calculation method
A calculation method to eliminate gain effect on isotopic measurement using the virtual amplifier multi-collector mass spectrometer, 130
Carbohydrate
From the gas phase to aqueous solution: Vibrational spectroscopy, Raman optical activity and conformational structure of carbohydrates, 193
Cation Mass Spectrometer
SIMS analysis with neutral cesium deposition: Negative secondary ion sensitivity increase and quantification aspects, 71
^{252}Cf-PDMS
Ion cluster desorption from frozen NH_3 induced by impact of fast multi-charged ions, 112
Charge distributions
Structures and charge distributions of cationic and neutral Li_nX_m (X = Na and K), 104
Charge exchange process
Determination of concentration of excited oxygen atoms on the basis of ion mobility in atmospheric plasma, 22
Charge state distribution
Gas-phase processes and measurements of macromolecular properties in solution: On the possibility of false positive and false negative signals of protein unfolding, 207
Probing solution- and gas-phase structures of Trp-cage cations by chiral substitution and spectroscopic techniques, 263
Chirality
Probing solution- and gas-phase structures of Trp-cage cations by chiral substitution and spectroscopic techniques, 263
Chlorpyrifos
Effect of dissociation energy on ion formation and sensitivity of an analytical method for determination of chlorpyrifos in human blood, using gas chromatography–mass spectrometer (GC–MS in MS/MS), 48
Condensed NH_3
Ion cluster desorption from frozen NH_3 induced by impact of fast multi-charged ions, 112
Conformation
Fluorescence probe of polypeptide conformational dynamics in gas phase and in solution, 172
From the gas phase to aqueous solution: Vibrational spectroscopy, Raman optical activity and conformational structure of carbohydrates, 193
Criegee intermediate
The heterogeneous reaction of particle-phase methyl esters and ozone elucidated by photoelectron resonance capture ionization: Direct products of ozonolysis and secondary reactions leading to the formation of ketones, 38

Decreased desorption threshold
Investigations of theoretical principles for MALDI-MS derived from solvent-free sample preparation. Part I. Preorganization, 13
Degradation products
Mass spectrometry study of increased breakdown of an anticonvulsivant drug substance: Avizafone, 1
Density functional study
Parity alternation in the linear ground-state beryllium-doped carbon clusters BeC_n^- (n = 1–8), 30
DFT
Gas-phase interaction of protonated lysine with water, 201
Diffusion coefficient
Characterization of a sheet membrane interface for sample introduction into a time-of-flight mass spectrometer, 65
Dissociation
Stability of complementary and mismatched DNA duplexes: Comparison and contrast in gas versus solution phases, 238

doi:10.1016/S1387-3806(06)00300-9

Dissociation energy
Effect of dissociation energy on ion formation and sensitivity of an analytical method for determination of chlorpyrifos in human blood, using gas chromatography–mass spectrometer (GC–MS in MS/MS), 48
Disulfide bond cleavage
Distance dependence of through-bond electron transfer rates in electron-capture and electron-transfer dissociation, 274
DNA
ESI-MS fragmentation pathways of *N*-methylpyrrole polyamide/peptide conjugates, 141
G-quadruplexes in telomeric repeats are conserved in a solvent-free environment, 225
Stability of complementary and mismatched DNA duplexes: Comparison and contrast in gas versus solution phases, 238
Drug–DNA complexes
Positive and negative ion mode ESI-MS and MS/MS for studying drug–DNA complexes, 156
Duplex
Stability of complementary and mismatched DNA duplexes: Comparison and contrast in gas versus solution phases, 238
Dynamics
Fluorescence probe of polypeptide conformational dynamics in gas phase and in solution, 172

Eberlin reaction
Atmospheric pressure Eberlin transacetalization reactions in the heterogeneous liquid/gas phase, 281
Electron capture dissociation
Probing solution- and gas-phase structures of Trp-cage cations by chiral substitution and spectroscopic techniques, 263
Distance dependence of through-bond electron transfer rates in electron-capture and electron-transfer dissociation, 274
Electron capture induced dissociation
Atypical behavior in the electron capture induced dissociation of biologically relevant transition metal ion complexes of the peptide hormone oxytocin, 217
Electron impact ionization
Electron impact ionization mass spectrometry of aliphatic alcohol clusters in helium nanodroplets, 79
Absolute partial cross sections and kinetic energy analysis for the electron impact ionization of propene, 122
Electron transfer
Distance dependence of through-bond electron transfer rates in electron-capture and electron-transfer dissociation, 274
Electrospray
Formation of hydrated triply charged metal ions from aqueous solutions using nanodrop mass spectrometry, 256
Electrospray ionization
Gas-phase processes and measurements of macromolecular properties in solution: On the possibility of false positive and false negative signals of protein unfolding, 207
Segmental charge distributions of Cytochrome *c* on transfer into the gas phase, 249
Energetics
Stability of complementary and mismatched DNA duplexes: Comparison and contrast in gas versus solution phases, 238
ESI/MS/MS
ESI-MS fragmentation pathways of *N*-methylpyrrole polyamide/peptide conjugates, 141
ESI-MS
Positive and negative ion mode ESI-MS and MS/MS for studying drug–DNA complexes, 156
Evaporation experiments
Structures and charge distributions of cationic and neutral Li_nX_m (X = Na and K), 104

Fluorescence
Fluorescence probe of polypeptide conformational dynamics in gas phase and in solution, 172
Fragmentation
Investigations of theoretical principles for MALDI-MS derived from solvent-free sample preparation. Part I. Preorganization, 13
FTICR MS
Gas-phase interaction of protonated lysine with water, 201

Gain factor
A calculation method to eliminate gain effect on isotopic measurement using the virtual amplifier multi-collector mass spectrometer, 130
Gas-phase basicity
Positive and negative ion mode ESI-MS and MS/MS for studying drug–DNA complexes, 156
Gas-phase interaction
Gas-phase interaction of protonated lysine with water, 201
Gas-phase ion/ion proton transfer
Charge-state dependent dissociation of a trypsin/inhibitor complex via ion trap collisional activation, 147
Gas-phase protein–protein complex
Charge-state dependent dissociation of a trypsin/inhibitor complex via ion trap collisional activation, 147
Gas-phase structure
Probing solution- and gas-phase structures of Trp-cage cations by chiral substitution and spectroscopic techniques, 263
GC–MS/MS
Effect of dissociation energy on ion formation and sensitivity of an analytical method for determination of chlorpyrifos in human blood, using gas chromatography–mass spectrometer (GC–MS in MS/MS), 48
Geometric configuration
Structures and charge distributions of cationic and neutral Li_nX_m (X = Na and K), 104
G-quadruplexes
G-quadruplexes in telomeric repeats are conserved in a solvent-free environment, 225
Guided ion beam mass spectrometry
Sequential bond energies of water to sodium proline cation, 288

H/D exchange
Gas-phase interaction of protonated lysine with water, 201
Helium nanodroplet
Electron impact ionization mass spectrometry of aliphatic alcohol clusters in helium nanodroplets, 79
Heterogeneous reaction
Atmospheric pressure Eberlin transacetalization reactions in the heterogeneous liquid/gas phase, 281
Human blood
Effect of dissociation energy on ion formation and sensitivity of an analytical method for determination of chlorpyrifos in human blood, using gas chromatography–mass spectrometer (GC–MS in MS/MS), 48
Human skin
On-line monitoring of UV-induced lipid peroxidation products from human skin in vivo using proton-transfer reaction mass spectrometry, 58
Hydration
From the gas phase to aqueous solution: Vibrational spectroscopy, Raman optical activity and conformational structure of carbohydrates, 193
Formation of hydrated triply charged metal ions from aqueous solutions using nanodrop mass spectrometry, 256

In situ U–Pb geochronology
In situ petrographic thin section U–Pb dating of zircon, monazite, and titanite using laser ablation–MC–ICP-MS, 87
In vivo
On-line monitoring of UV-induced lipid peroxidation products from human skin in vivo using proton-transfer reaction mass spectrometry, 58
Internal energy
Fragmentation at and above surfaces in SIMS: Effects of biomolecular yield enhancing surface modifications, 181

Ion fragmentation
Electron impact ionization mass spectrometry of aliphatic alcohol clusters in helium nanodroplets, 79
Ion kinetic energy
Absolute partial cross sections and kinetic energy analysis for the electron impact ionization of propene, 122
Ion mobility
Determination of concentration of excited oxygen atoms on the basis of ion mobility in atmospheric plasma, 22
G-quadruplexes in telomeric repeats are conserved in a solvent-free environment, 225
Ion solvation
Formation of hydrated triply charged metal ions from aqueous solutions using nanodrop mass spectrometry, 256
Ion/molecule reaction
Atmospheric pressure Eberlin transacetalization reactions in the heterogeneous liquid/gas phase, 281
Ionization mode
Mass spectrometry study of increased breakdown of an anticonvulsivant drug substance: Avizafone, 1
Isotope analysis
Resonance enhancement of ion signals in direct isotope analysis of metal samples by adopting 2-color resonant laser ablation mass spectrometry, 136
Isotope measurement
A calculation method to eliminate gain effect on isotopic measurement using the virtual amplifier multi-collector mass spectrometer, 130

Kinetic energy distribution
Fragmentation at and above surfaces in SIMS: Effects of biomolecular yield enhancing surface modifications, 181

Labile molecules
Investigations of theoretical principles for MALDI-MS derived from solvent-free sample preparation. Part I. Preorganization, 13
Laser ablation
In situ petrographic thin section U–Pb dating of zircon, monazite, and titanite using laser ablation–MC–ICP-MS, 87
Laser mass spectrometer
Laser mass spectrometric studies on rare earth doped UO_2, 98
Laser-induced plasma
Resonance enhancement of ion signals in direct isotope analysis of metal samples by adopting 2-color resonant laser ablation mass spectrometry, 136
Ligated trications
Formation of hydrated triply charged metal ions from aqueous solutions using nanodrop mass spectrometry, 256
Lipid peroxidation
On-line monitoring of UV-induced lipid peroxidation products from human skin in vivo using proton-transfer reaction mass spectrometry, 58

MALDI
Investigations of theoretical principles for MALDI-MS derived from solvent-free sample preparation. Part I. Preorganization, 13
Mass spectrometer
A calculation method to eliminate gain effect on isotopic measurement using the virtual amplifier multi-collector mass spectrometer, 130
Mass spectrometry
Mass spectrometry study of increased breakdown of an anticonvulsivant drug substance: Avizafone, 1
Determination of concentration of excited oxygen atoms on the basis of ion mobility in atmospheric plasma, 22
Absolute partial cross sections and kinetic energy analysis for the electron impact ionization of propene, 122
Matrix-enhanced SIMS
Fragmentation at and above surfaces in SIMS: Effects of biomolecular yield enhancing surface modifications, 181
MC–ICP-MS
In situ petrographic thin section U–Pb dating of zircon, monazite, and titanite using laser ablation–MC–ICP-MS, 87
Membrane inlet
Characterization of a sheet membrane interface for sample introduction into a time-of-flight mass spectrometer, 65
Metal binding
Atypical behavior in the electron capture induced dissociation of biologically relevant transition metal ion complexes of the peptide hormone oxytocin, 217
Metal-assisted SIMS
Fragmentation at and above surfaces in SIMS: Effects of biomolecular yield enhancing surface modifications, 181
Mismatches
Stability of complementary and mismatched DNA duplexes: Comparison and contrast in gas versus solution phases, 238
Molecular cluster
Electron impact ionization mass spectrometry of aliphatic alcohol clusters in helium nanodroplets, 79
MS/MS
Positive and negative ion mode ESI-MS and MS/MS for studying drug–DNA complexes, 156
Multi-collector
A calculation method to eliminate gain effect on isotopic measurement using the virtual amplifier multi-collector mass spectrometer, 130

Negative ion mode
Positive and negative ion mode ESI-MS and MS/MS for studying drug–DNA complexes, 156
Neutral cesium deposition
SIMS analysis with neutral cesium deposition: Negative secondary ion sensitivity increase and quantification aspects, 71
Non-covalent complex
Gas-phase processes and measurements of macromolecular properties in solution: On the possibility of false positive and false negative signals of protein unfolding, 207

Oxytocin
Atypical behavior in the electron capture induced dissociation of biologically relevant transition metal ion complexes of the peptide hormone oxytocin, 217
Ozonolysis
The heterogeneous reaction of particle-phase methyl esters and ozone elucidated by photoelectron resonance capture ionization: Direct products of ozonolysis and secondary reactions leading to the formation of ketones, 38

Peptide
Fluorescence probe of polypeptide conformational dynamics in gas phase and in solution, 172
Petrographic thin section
In situ petrographic thin section U–Pb dating of zircon, monazite, and titanite using laser ablation–MC–ICP-MS, 87
Photoelectron resonance capture ionization
The heterogeneous reaction of particle-phase methyl esters and ozone elucidated by photoelectron resonance capture ionization: Direct products of ozonolysis and secondary reactions leading to the formation of ketones, 38
Poliamidic oligomer
ESI-MS fragmentation pathways of *N*-methylpyrrole polyamide/peptide conjugates, 141
Polydimethylsiloxane (PDMS)
Characterization of a sheet membrane interface for sample introduction into a time-of-flight mass spectrometer, 65
Precursor model
Fragmentation at and above surfaces in SIMS: Effects of biomolecular yield enhancing surface modifications, 181
Proline
Fluorescence probe of polypeptide conformational dynamics in gas phase and in solution, 172
Propene
Absolute partial cross sections and kinetic energy analysis for the electron impact ionization of propene, 122

Proton affinity
Gas-phase processes and measurements of macromolecular properties in solution: On the possibility of false positive and false negative signals of protein unfolding, 207
Proton transfer
Segmental charge distributions of Cytochrome *c* on transfer into the gas phase, 249
Proton-transfer reaction mass spectrometry
On-line monitoring of UV-induced lipid peroxidation products from human skin in vivo using proton-transfer reaction mass spectrometry, 58

Quantification
SIMS analysis with neutral cesium deposition: Negative secondary ion sensitivity increase and quantification aspects, 71

Raman
From the gas phase to aqueous solution: Vibrational spectroscopy, Raman optical activity and conformational structure of carbohydrates, 193
Rare earth doped UO_2
Laser mass spectrometric studies on rare earth doped UO_2, 98
Reaction mechanism
Gas-phase interaction of protonated lysine with water, 201
Resonant laser ablation
Resonance enhancement of ion signals in direct isotope analysis of metal samples by adopting 2-color resonant laser ablation mass spectrometry, 136

Secondary ion
Ion cluster desorption from frozen NH_3 induced by impact of fast multicharged ions, 112
SIMS
SIMS analysis with neutral cesium deposition: Negative secondary ion sensitivity increase and quantification aspects, 71
Sodium proline cation
Sequential bond energies of water to sodium proline cation, 288
Soft ionization
The heterogeneous reaction of particle-phase methyl esters and ozone elucidated by photoelectron resonance capture ionization: Direct products of ozonolysis and secondary reactions leading to the formation of ketones, 38
Solution structure
Probing solution- and gas-phase structures of Trp-cage cations by chiral substitution and spectroscopic techniques, 263
Solvated ion
Atmospheric pressure Eberlin transacetalization reactions in the heterogeneous liquid/gas phase, 281
Solvation energies
Sequential bond energies of water to sodium proline cation, 288
Solvent-free sample preparation
Investigations of theoretical principles for MALDI-MS derived from solvent-free sample preparation. Part I. Preorganization, 13
Stability
Structures and charge distributions of cationic and neutral Li_nX_m (X = Na and K), 104

Tandem mass spectrometry
Charge-state dependent dissociation of a trypsin/inhibitor complex via ion trap collisional activation, 147
Threshold laser power
Investigations of theoretical principles for MALDI-MS derived from solvent-free sample preparation. Part I. Preorganization, 13
Through-bond
Distance dependence of through-bond electron transfer rates in electron-capture and electron-transfer dissociation, 274
Time-of-flight mass spectrometer
Characterization of a sheet membrane interface for sample introduction into a time-of-flight mass spectrometer, 65
TOF
Ion cluster desorption from frozen NH_3 induced by impact of fast multicharged ions, 112
Trivalent metal ions
Formation of hydrated triply charged metal ions from aqueous solutions using nanodrop mass spectrometry, 256
Trypsin/trypsin inhibitor complex
Charge-state dependent dissociation of a trypsin/inhibitor complex via ion trap collisional activation, 147

Useful yield
SIMS analysis with neutral cesium deposition: Negative secondary ion sensitivity increase and quantification aspects, 71

Volatile organic compound
On-line monitoring of UV-induced lipid peroxidation products from human skin in vivo using proton-transfer reaction mass spectrometry, 58